





Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Besto XL 300	3	300	300	245	85	92	5	111-120	62-71	26-35	6	16	21	25	87	2,13	3,14	0,30	0,02	430X347X127
	3	300	400	345	85	92	5	111-120	62-71	26-35	9	22	29	35	118	2,48	3,61	0,35	0,03	530X347X127
	3	300	500	445	85	92	5	111-120	62-71	26-35	11	28	37	44	151	2,83	4,06	0,39	0,03	630X347X127
	3	300	600	545	85	92	5	111-120	62-71	26-35	13	35	45	54	185	3,18	4,41	0,43	0,04	730X347X127
	3	300	700	645	85	92	5	111-120	62-71	26-35	15	40	52	62	211	3,53	4,99	0,48	0,04	830X347X127
	3	300	900	845	85	92	5	111-120	62-71	26-35	19	49	63	76	260	4,23	5,91	0,56	0,05	1030X347X127
	3	300	1000	945	85	92	5	111-120	62-71	26-35	21	53	69	83	282	4,58	6,35	0,60	0,05	1130X347X127
	3	300	1200	1145	85	92	5	111-120	62-71	26-35	24	61	79	95	324	5,28	7,30	0,69	0,06	1330X347X127
	3	300	1400	1345	85	92	5	111-120	62-71	26-35	27	70	91	109	372	5,98	8,22	0,78	0,07	1530X347X127
	3	300	1600	1545	85	92	5	111-120	62-71	26-35	31	80	104	125	427	6,68	9,13	0,86	0,08	1730X347X127
	3	300	1800	1745	85	92	5	111-120	62-71	26-35	36	92	120	144	491	7,38	9,92	0,95	0,09	1930X347X127

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Besto XL 400	4	400	300	245	85	92	5	111-120	62-71	26-35	8	22	28	34	115	2,84	3,97	0,40	0,03	430X447X127
	4	400	400	345	85	92	5	111-120	62-71	26-35	11	30	38	46	157	3,31	4,56	0,46	0,04	530X447X127
	4	400	500	445	85	92	5	111-120	62-71	26-35	15	38	49	59	201	3,78	5,16	0,52	0,04	630X447X127
	4	400	600	545	85	92	5	111-120	62-71	26-35	18	46	60	72	247	4,24	5,62	0,57	0,05	730X447X127
	4	400	700	645	85	92	5	111-120	62-71	26-35	20	53	69	83	281	4,71	6,35	0,63	0,05	830X447X127
	4	400	800	745	85	92	5	111-120	62-71	26-35	23	59	77	92	315	5,18	6,95	0,69	0,06	930X447X127
	4	400	900	845	85	92	5	111-120	62-71	26-35	25	65	85	102	346	5,64	7,53	0,75	0,06	1030X447X127
	4	400	1000	945	85	92	5	111-120	62-71	26-35	27	71	92	110	376	6,11	8,13	0,80	0,07	1130X447X127
	4	400	1200	1145	85	92	5	111-120	62-71	26-35	31	81	106	127	432	7,04	9,33	0,92	0,08	1330X447X127
	4	400	1400	1345	85	92	5	111-120	62-71	26-35	36	93	121	146	496	7,98	10,52	1,03	0,09	1530X447X127
Besto XL 500	4	400	1600	1545	85	92	5	111-120	62-71	26-35	41	107	139	167	570	8,91	11,70	1,15	0,10	1730X447X127
	4	400	1800	1745	85	92	5	111-120	62-71	26-35	48	123	160	192	654	9,84	12,76	1,26	0,11	1930X447X127
	5	500	300	245	85	92	5	111-120	62-71	26-35	10	27	35	42	144	3,55	4,78	0,50	0,03	430X547X127
	5	500	400	345	85	92	5	111-120	62-71	26-35	14	37	48	58	197	4,13	5,51	0,57	0,04	530X547X127
	5	500	500	445	85	92	5	111-120	62-71	26-35	18	47	61	74	251	4,72	6,25	0,65	0,05	630X547X127
	5	500	600	545	85	92	5	111-120	62-71	26-35	22	58	75	90	308	5,30	6,84	0,72	0,06	730X547X127
	5	500	700	645	85	92	5	111-120	62-71	26-35	26	66	86	103	352	5,89	7,71	0,79	0,06	830X547X127
	5	500	800	745	85	92	5	111-120	62-71	26-35	29	74	96	115	393	6,47	8,43	0,86	0,07	930X547X127
	5	500	900	845	85	92	5	111-120	62-71	26-35	31	81	106	127	433	7,05	9,16	0,93	0,08	1030X547X127
	5	500	1000	945	85	92	5	111-120	62-71	26-35	34	88	115	138	471	7,64	9,89	1,00	0,08	1130X547X127
Besto XL 600	5	500	1200	1145	85	92	5	111-120	62-71	26-35	39	102	132	158	540	8,80	11,36	1,15	0,10	1330X547X127
	5	500	1400	1345	85	92	5	111-120	62-71	26-35	45	117	152	182	620	9,97	12,82	1,29	0,11	1530X547X127
	5	500	1600	1545	85	92	5	111-120	62-71	26-35	52	134	174	209	712	11,14	14,28	1,43	0,13	1730X547X127
	5	500	1800	1745	85	92	5	111-120	62-71	26-35	59	154	200	240	818	12,30	15,59	1,57	0,14	1930X547X127
	6	600	300	245	85	92	5	111-120	62-71	26-35	13	33	42	51	173	4,25	5,60	0,60	0,04	430X647X127
	6	600	400	345	85	92	5	111-120	62-71	26-35	17	44	58	69	236	4,95	6,47	0,69	0,05	530X647X127
	6	600	500	445	85	92	5	111-120	62-71	26-35	22	57	74	88	301	5,65	7,33	0,77	0,06	630X647X127
	6	600	600	545	85	92	5	111-120	62-71	26-35	27	70	90	108	370	6,35	8,07	0,86	0,06	730X647X127
	6	600	700	645	85	92	5	111-120	62-71	26-35	31	79	103	124	422	7,05	9,05	0,95	0,07	830X647X127
	6	600	800	745	85	92	5	111-120	62-71	26-35	34	89	115	138	472	7,75	9,92	1,03	0,08	930X647X127
Besto XL 700	6	600	900	845	85	92	5	111-120	62-71	26-35	38	98	127	152	519	8,45	10,78	1,12	0,09	1030X647X127
	6	600	1000	945	85	92	5	111-120	62-71	26-35	41	106	138	166	565	9,15	11,64	1,20	0,10	1130X647X127
	6	600	1200	1145	85	92	5	111-120	62-71	26-35	47	122	158	190	648	10,55	13,38	1,37	0,11	1330X647X127
	6	600	1400	1345	85	92	5	111-120	62-71	26-35	54	140	182	218	744	11,95	15,11	1,55	0,13	1530X647X127
	6	600	1600	1545	85	92	5	111-120	62-71	26-35	62	161	209	251	855	13,35	16,84	1,72	0,15	1730X647X127
	6	600	1800	1745	85	92	5	111-120	62-71	26-35	71	184	240	288	981	14,75	18,59	1,89	0,16	1930X647X127
	7	700	300	245	85	92	5	111-120	62-71	26-35	15	38	49	59	202	4,96	6,59	0,70	0,05	430X747X127
	7	700	400	345	85	92	5	111-120	62-71	26-35	20	52	67	81	275	5,78	7,59	0,80	0,06	530X747X127
	7	700	500	445	85	92	5	111-120	62-71	26-35	26	66	86	103	352	6,59	8,58	0,90	0,06	630X747X127
	7	700	600	545	85	92	5	111-120	62-71	26-35	31	81	105	127	431	7,41	9,46	1,00	0,07	730X747X127
Besto XL 800	7	700	700	645	85	92	5	111-120	62-71	26-35	36	93	120	144	492	8,23	10,58	1,10	0,08	830X747X127
	7	700	800	745	85	92	5	111-120	62-71	26-35	40	104	135	161	551	9,04	11,57	1,20	0,09	930X747X127
	7	700	900	845	85	92	5	111-120	62-71	26-35	44	114	148	178	606	9,86	12,57	1,30	0,10	1030X747X127
	7	700	1000	945	85	92	5	111-120	62-71	26-35	48	124	161	193	659	10,68	13,58	1,40	0,11	1130X747X127
	7	700	1200	1145	85	92	5	111-120	62-71	26-35	55	142	185	222	756	12,31	15,57	1,60	0,13	1330X747X127
	7	700	1400	1345	85	92	5	111-120	62-71	26-35	63	163	212	255	869	13,95	17,59	1,80	0,15	1530X747X127
	7	700	1600	1545	85	92	5	111-120	62-71	26-35	73	187	244	292	997	15,58	19,57	2,00	0,17	1730X747X127
	7	700	1800	1745	85	92	5	111-120	62-71	26-35	83	215	280	336	1145	17,21	21,44	2,20	0,19	1930X747X127
	8	800	300	245	85	92	5	111-120	62-71	26-35	17	43	56	68	231	5,67	7,41	0,80	0,05	430X847X127
	8	800	400	345	85	92	5	111-120	62-71	26-35	23	59	77	92	315	6,60	8,55	0,92	0,06	530X847X127
Besto XL 800	8	800	500	445	85	92	5	111-120	62-71	26-35	29	76	98	118	402	7,54	9,67	1,03	0,07	630X847X127
	8	800	600	545	85	92	5	111-120	62-71	26-35	36	93	120	145	493	8,47	10,69	1,14	0,08	730X847X127
	8	800	700	645	85	92	5	111-120	62-71	26-35	41	106	138	165	563	9,40	11,94	1,26	0,09	830X847X127
	8	800	800	745	85	92	5	111-120	62-71	26-35	46	118	154	185	629	10,34	13,07	1,37	0,11	930X847X127
	8	800	900	845	85	92	5	111-120	62-71	26-35	50	130	169	203	693	11,27	14,21	1,49	0,12	1030X847X127
	8	800	1000	945	85	92	5	111-120	62-71	26-35	55	142	184	221	753	12,21	15,33	1,60	0,13	1130X847X127
	8	800	1200	1145	85	92	5	111-120	62-71	26-35	63	163	211	254	865	14,07	17,62	1,83	0,15	1330X847X127
	8	800	1400	1345	85	92	5	111-120	62-71	26-35	72	187	243	291	993	15,94	19,89	2,06	0,17	1530X847X127
	8	800	1600	1545	85	92	5	111-120	62-71	26-35	83	214	279	334	1140	17,81	22,15	2,29	0,19	1730X847X127
	8	800	1800	1745	85	92	5	111-120	62-71	26-35	95	246	320	384	1309	19,67	24,28	2,52	0,21	1930X847X127

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Besto XL 900	9	900	300	245	85	92	5	111-120	62-71	26-35	19	49	63	76	260	6,38	8,24	0,90	0,06	430X947X127
	9	900	400	345	85	92	5	111-120	62-71	26-35	26	67	86	104	354	7,43	9,50	1,03	0,07	530X947X127
	9	900	500	445	85	92	5	111-120	62-71	26-35	33	85	111	133	452	8,48	10,76	1,16	0,08	630X947X127
	9	900	600	545	85	92	5	111-120	62-71	26-35	40	104	136	163	555	9,53	11,90	1,29	0,09	730X947X127
	9	900	700	645	85	92	5	111-120	62-71	26-35	46	119	155	186	633	10,58	13,30	1,42	0,10	830X947X127
	9	900	800	745	85	92	5	111-120	62-71	26-35	52	133	173	208	708	11,63	14,58	1,54	0,12	930X947X127
	9	900	900	845	85	92	5	111-120	62-71	26-35	57	146	190	229	779	12,68	15,83	1,67	0,13	1030X947X127
	9	900	1000	945	85	92	5	111-120	62-71	26-35	62	159	207	248	847	13,73	17,10	1,80	0,14	1130X947X127
	9	900	1200	1145	85	92	5	111-120	62-71	26-35	71	183	238	285	973	15,83	19,65	2,06	0,16	1330X947X127
	9	900	1400	1345	85	92	5	111-120	62-71	26-35	81	210	273	327	1117	17,93	22,18	2,32	0,19	1530X947X127
Besto XL 1000	10	1000	300	245	85	92	5	111-120	62-71	26-35	21	54	71	85	289	7,09	9,05	1,00	0,06	430X1047X127
	10	1000	400	345	85	92	5	111-120	62-71	26-35	29	74	96	115	393	8,26	10,46	1,14	0,08	530X1047X127
	10	1000	500	445	85	92	5	111-120	62-71	26-35	37	94	123	147	502	9,42	11,85	1,29	0,09	630X1047X127
	10	1000	600	545	85	92	5	111-120	62-71	26-35	45	116	151	181	616	10,59	13,13	1,43	0,10	730X1047X127
	10	1000	700	645	85	92	5	111-120	62-71	26-35	51	132	172	206	703	11,76	14,66	1,57	0,12	830X1047X127
	10	1000	800	745	85	92	5	111-120	62-71	26-35	57	148	192	231	787	12,92	16,05	1,71	0,13	930X1047X127
	10	1000	900	845	85	92	5	111-120	62-71	26-35	63	163	212	254	866	14,09	17,46	1,86	0,14	1030X1047X127
	10	1000	1000	945	85	92	5	111-120	62-71	26-35	68	177	230	276	941	15,26	18,87	2,00	0,16	1130X1047X127
	10	1000	1200	1145	85	92	5	111-120	62-71	26-35	79	203	264	317	1081	17,59	21,68	2,29	0,18	1330X1047X127
	10	1000	1400	1345	85	92	5	111-120	62-71	26-35	90	233	303	364	1241	19,93	24,49	2,57	0,21	1530X1047X127
	10	1000	1600	1545	85	92	5	111-120	62-71	26-35	104	268	348	418	1425	22,26	27,29	2,86	0,24	1730X1047X127
	10	1000	1800	1745	85	92	5	111-120	62-71	26-35	119	307	400	480	1636	24,59	29,95	3,14	0,26	1930X1047X127
Besto XL 1100	11	1100	300	245	85	92	5	111-120	62-71	26-35	23	60	78	93	317	7,80	9,87	1,10	0,07	430X1147X127
	11	1100	400	345	85	92	5	111-120	62-71	26-35	31	81	106	127	433	9,08	11,41	1,26	0,08	530X1147X127
	11	1100	500	445	85	92	5	111-120	62-71	26-35	40	104	135	162	553	10,37	12,95	1,41	0,10	630X1147X127
	11	1100	600	545	85	92	5	111-120	62-71	26-35	49	127	166	199	678	11,65	14,36	1,57	0,11	730X1147X127
	11	1100	700	645	85	92	5	111-120	62-71	26-35	56	145	189	227	774	12,93	16,02	1,73	0,13	830X1147X127
	11	1100	800	745	85	92	5	111-120	62-71	26-35	63	163	211	254	865	14,22	17,56	1,89	0,14	930X1147X127
	11	1100	900	845	85	92	5	111-120	62-71	26-35	69	179	233	279	952	15,50	19,09	2,04	0,16	1030X1147X127
	11	1100	1000	945	85	92	5	111-120	62-71	26-35	75	195	253	304	1035	16,78	20,63	2,20	0,17	1130X1147X127
	11	1100	1200	1145	85	92	5	111-120	62-71	26-35	86	223	290	349	1189	19,35	23,71	2,52	0,20	1330X1147X127
	11	1100	1400	1345	85	92	5	111-120	62-71	26-35	99	257	334	400	1365	21,92	26,79	2,83	0,23	1530X1147X127
	11	1100	1600	1545	85	92	5	111-120	62-71	26-35	114	295	383	460	1567	24,49	29,87	3,14	0,26	1730X1147X127
Besto XL 1200	12	1200	300	245	85	92	5	111-120	62-71	26-35	25	65	85	102	346	8,50	10,69	1,20	0,07	430X1247X127
	12	1200	400	345	85	92	5	111-120	62-71	26-35	34	89	115	138	472	9,90	12,37	1,37	0,09	530X1247X127
	12	1200	500	445	85	92	5	111-120	62-71	26-35	44	113	147	177	603	11,30	14,03	1,54	0,10	630X1247X127
	12	1200	600	545	85	92	5	111-120	62-71	26-35	54	139	181	217	740	12,70	15,58	1,71	0,12	730X1247X127
	12	1200	700	645	85	92	5	111-120	62-71	26-35	61	159	206	248	844	14,10	17,37	1,89	0,14	830X1247X127
	12	1200	800	745	85	92	5	111-120	62-71	26-35	69	177	231	277	944	15,50	19,05	2,06	0,15	930X1247X127
	12	1200	900	845	85	92	5	111-120	62-71	26-35	76	195	254	305	1039	16,90	20,72	2,23	0,17	1030X1247X127
	12	1200	1000	945	85	92	5	111-120	62-71	26-35	82	212	276	331	1129	18,30	22,39	2,40	0,18	1130X1247X127
	12	1200	1200	1145	85	92	5	111-120	62-71	26-35	94	244	317	380	1297	21,10	25,73	2,74	0,22	1330X1247X127
	12	1200	1400	1345	85	92	5	111-120	62-71	26-35	108	280	364	437	1489	23,90	29,09	3,09	0,25	1530X1247X127
	12	1200	1600	1545	85	92	5	111-120	62-71	26-35	124	321	418	501	1709	26,70	32,42	3,43	0,28	1730X1247X127
	12	1200	1800	1745	85	92	5	111-120	62-71	26-35	143	369	480	576	1963	29,50	35,64	3,77	0,31	1930X1247X127
Besto XL 1300	13	1300	300	245	85	92	5	111-120	62-71	26-35	27	71	92	110	375	9,21	11,52	1,30	0,08	430X1347X127
	13	1300	400	345	85	92	5	111-120	62-71	26-35	37	96	125	150	511	10,72	13,32	1,48	0,10	530X1347X127
	13	1300	500	445	85	92	5	111-120	62-71	26-35	48	123	160	192	653	12,24	15,11	1,67	0,11	630X1347X127
	13	1300	600	545	85	92	5	111-120	62-71	26-35	58	151	196	235	801	13,76	16,81	1,86	0,13	730X1347X127
	13	1300	700	645	85	92	5	111-120	62-71	26-35	67	172	223	268	914	15,28	18,74	2,04	0,15	830X1347X127
	13	1300	800	745	85	92	5	111-120	62-71	26-35	74	192	250	300	1023	16,79	20,54	2,23	0,16	930X1347X127
	13	1300	900	845	85	92	5	111-120	62-71	26-35	82	212	275	330	1126	18,31	22,35	2,41	0,18	1030X1347X127
	13	1300	1000	945	85	92	5	111-120	62-71	26-35	89	230	299	359	1224	19,83	24,15	2,60	0,20	1130X1347X127
	13	1300	1200	1145	85	92	5	111-120	62-71	26-35	102	264	343	412	1405	22,86	27,78	2,97	0,23	1330X1347X127
	13	1300	1400	1345	85	92	5	111-120	62-71	26-35	117	303	394	473	1613	25,90	31,40	3,34	0,27	1530X1347X127
	13	1300	1600	1545	85	92	5	111-120	62-71	26-35	135	348	453	543	1852	28,93	35,00	3,72	0,30	1730X1347X127

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Besto XL 1400	14	1400	300	245	85	92	5	111-120	62-71	26-35	29	76	99	118	404	9,92	12,34	1,40	0,08	430X1447X127
	14	1400	400	345	85	92	5	111-120	62-71	26-35	40	104	135	161	551	11,55	14,27	1,60	0,10	530X1447X127
	14	1400	500	445	85	92	5	111-120	62-71	26-35	51	132	172	206	703	13,18	16,20	1,80	0,12	630X1447X127
	14	1400	600	545	85	92	5	111-120	62-71	26-35	63	162	211	253	863	14,82	18,03	2,00	0,14	730X1447X127
	14	1400	700	645	85	92	5	111-120	62-71	26-35	72	185	241	289	985	16,45	20,09	2,20	0,16	830X1447X127
	14	1400	800	745	85	92	5	111-120	62-71	26-35	80	207	269	323	1101	18,09	22,05	2,40	0,18	930X1447X127
	14	1400	900	845	85	92	5	111-120	62-71	26-35	88	228	296	355	1212	19,72	23,98	2,60	0,19	1030X1447X127
	14	1400	1000	945	85	92	5	111-120	62-71	26-35	96	248	322	386	1318	21,35	25,91	2,80	0,21	1130X1447X127
	14	1400	1200	1145	85	92	5	111-120	62-71	26-35	110	284	370	444	1513	24,62	29,81	3,20	0,25	1330X1447X127
Besto XL 1500	15	1500	300	245	85	92	5	111-120	62-71	26-35	31	81	106	127	433	10,63	13,15	1,50	0,09	430X1547X127
	15	1500	400	345	85	92	5	111-120	62-71	26-35	43	111	144	173	590	12,38	15,23	1,71	0,11	530X1547X127
	15	1500	500	445	85	92	5	111-120	62-71	26-35	55	142	184	221	754	14,13	17,31	1,93	0,13	630X1547X127
	15	1500	600	545	85	92	5	111-120	62-71	26-35	67	174	226	271	924	15,88	19,25	2,14	0,15	730X1547X127
	15	1500	700	645	85	92	5	111-120	62-71	26-35	77	198	258	309	1055	17,63	21,46	2,36	0,17	830X1547X127
	15	1500	800	745	85	92	5	111-120	62-71	26-35	86	222	288	346	1180	19,38	23,52	2,57	0,19	930X1547X127
	15	1500	900	845	85	92	5	111-120	62-71	26-35	94	244	317	381	1299	21,13	25,60	2,78	0,21	1030X1547X127
	15	1500	1000	945	85	92	5	111-120	62-71	26-35	103	265	345	414	1412	22,88	27,68	3,00	0,23	1130X1547X127
	15	1500	1200	1145	85	92	5	111-120	62-71	26-35	118	305	396	475	1621	26,38	31,85	3,43	0,27	1330X1547X127
Besto XL 1600	16	1600	300	245	85	92	5	111-120	62-71	26-35	34	87	113	135	462	11,34	13,98	1,60	0,09	430X1647X127
	16	1600	400	345	85	92	5	111-120	62-71	26-35	46	118	154	185	629	13,20	16,18	1,83	0,12	530X1647X127
	16	1600	500	445	85	92	5	111-120	62-71	26-35	58	151	196	236	804	15,07	18,39	2,05	0,14	630X1647X127
	16	1600	600	545	85	92	5	111-120	62-71	26-35	72	185	241	289	986	16,94	20,48	2,28	0,16	730X1647X127
	16	1600	700	645	85	92	5	111-120	62-71	26-35	82	212	275	330	1126	18,81	22,82	2,51	0,18	830X1647X127
	16	1600	800	745	85	92	5	111-120	62-71	26-35	92	237	308	369	1259	20,67	25,02	2,74	0,20	930X1647X127
	16	1600	900	845	85	92	5	111-120	62-71	26-35	101	260	339	406	1385	22,54	27,24	2,97	0,22	1030X1647X127
	16	1600	1000	945	85	92	5	111-120	62-71	26-35	110	283	368	442	1506	24,41	29,45	3,20	0,24	1130X1647X127
	16	1600	1200	1145	85	92	5	111-120	62-71	26-35	126	325	423	507	1729	28,14	33,88	3,66	0,28	1330X1647X127
Besto XL 1700	17	1700	300	245	85	92	5	111-120	62-71	26-35	36	92	120	144	491	12,05	14,81	1,70	0,10	430X1747X127
	17	1700	400	345	85	92	5	111-120	62-71	26-35	49	126	163	196	669	14,03	17,15	1,94	0,12	530X1747X127
	17	1700	500	445	85	92	5	111-120	62-71	26-35	62	161	209	250	854	16,01	19,49	2,18	0,14	630X1747X127
	17	1700	600	545	85	92	5	111-120	62-71	26-35	76	197	256	307	1048	18,00	21,71	2,43	0,17	730X1747X127
	17	1700	700	645	85	92	5	111-120	62-71	26-35	87	225	292	351	1196	19,98	24,18	2,67	0,19	830X1747X127
	17	1700	800	745	85	92	5	111-120	62-71	26-35	97	251	327	392	1337	21,97	26,53	2,91	0,21	930X1747X127
	17	1700	900	845	85	92	5	111-120	62-71	26-35	107	277	360	432	1472	23,95	28,87	3,16	0,23	1030X1747X127
	17	1700	1000	945	85	92	5	111-120	62-71	26-35	116	301	391	469	1600	25,93	31,21	3,40	0,26	1130X1747X127
	17	1700	1200	1145	85	92	5	111-120	62-71	26-35	134	345	449	539	1837	29,90	35,91	3,88	0,30	1330X1747X127
Besto XL 1800	18	1800	300	245	85	92	5	111-120	62-71	26-35	38	98	127	152	519	12,75	15,62	1,80	0,11	430X1847X127
	18	1800	400	345	85	92	5	111-120	62-71	26-35	52	133	173	208	708	14,85	18,10	2,05	0,13	530X1847X127
	18	1800	500	445	85	92	5	111-120	62-71	26-35	66	170	221	265	904	16,95	20,57	2,31	0,15	630X1847X127
	18	1800	600	545	85	92	5	111-120	62-71	26-35	81	209	271	325	1109	19,05	22,93	2,57	0,18	730X1847X127
	18	1800	700	645	85	92	5	111-120	62-71	26-35	92	238	309	371	1266	21,15	25,54	2,83	0,20	830X1847X127
	18	1800	800	745	85	92	5	111-120	62-71	26-35	103	266	346	415	1416	23,25	28,01	3,08	0,22	930X1847X127
	18	1800	900	845	85	92	5	111-120	62-71	26-35	113	293	381	457	1558	25,35	30,49	3,34	0,25	1030X1847X127
	18	1800	1000	945	85	92	5	111-120	62-71	26-35	123	318	414	497	1694	27,45	32,96	3,60	0,27	1130X1847X127
	18	1800	1200	1145	85	92	5	111-120	62-71	26-35	142	366	475	570	1945	31,65	37,94	4,11	0,32	1330X1847X127
Besto XL 1900	19	1900	300	245	85	92	5	111-120	62-71	26-35	40	103	134	161	548	13,46	16,44	1,90	0,11	430X1947X127
	19	1900	400	345	85	92	5	111-120	62-71	26-35	54	140	183	219	747	15,67	19,05	2,17	0,14	530X1947X127
	19	1900	500	445	85	92	5	111-120	62-71	26-35	69	179	233	280	955	17,89	21,65	2,44	0,16	630X1947X127
	19	1900	600	545	85	92	5	111-120	62-71	26-35	85	220	286	343	1171	20,11	24,15	2,71	0,19	730X1947X127
	19	1900	700	645	85	92	5	111-120	62-71	26-35	97	251	327	392	1337	22,32	26,89	2,98	0,21	830X1947X127
	19	1900	800	745	85	92	5	111-120	62-71	26-35	109	281	365	438	1494	24,54	29,51	3,25	0,23	930X1947X127
	19	1900	900	845	85	92	5	111-120	62-71	26-35	120	309	402	482	1645	26,76	32,12	3,53	0,26	1030X1947X127
	19	1900	1000	945	85	92	5	111-120	62-71	26-35	130	336	437	524	1788	28,98	34,57	3,80	0,28	1130X1947X127