






Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova 236	3	236	300	245	60	60	4	86-95	56-65	26-35	53	138	180	216	735	2,12	2,92	0,26	0,02	420X276X100
	3	236	400	345	60	60	4	86-95	56-65	26-35	73	188	245	294	1001	2,58	3,48	0,30	0,02	520X276X100
	3	236	500	445	60	60	4	86-95	56-65	26-35	93	241	313	375	1279	3,04	4,04	0,34	0,02	620X276X100
Lova 316	4	316	300	245	60	60	4	86-95	56-65	26-35	71	183	237	285	972	2,81	3,70	0,34	0,02	420X356X100
	4	316	400	345	60	60	4	86-95	56-65	26-35	96	249	324	388	1324	3,41	4,41	0,40	0,02	520X356X100
	4	316	500	445	60	60	4	86-95	56-65	26-35	123	318	413	496	1692	4,01	5,13	0,46	0,03	620X356X100
	4	316	600	545	60	60	4	86-95	56-65	26-35	151	390	507	608	2075	4,61	5,84	0,51	0,03	720X356X100
	4	316	700	645	60	60	4	86-95	56-65	26-35	172	445	579	694	2368	5,20	6,53	0,57	0,03	820X356X100
	4	316	800	745	60	60	4	86-95	56-65	26-35	193	498	647	777	2648	5,80	7,25	0,63	0,04	920X356X100
	4	316	900	845	60	60	4	86-95	56-65	26-35	212	548	712	855	2915	6,40	7,95	0,69	0,04	1020X356X100
	4	316	1000	945	60	60	4	86-95	56-65	26-35	231	596	774	929	3169	7,00	8,66	0,74	0,04	1120X356X100
	4	316	1200	1145	60	60	4	86-95	56-65	26-35	265	684	889	1067	3638	8,20	10,08	0,86	0,05	1320X356X100
	4	316	1400	1345	60	60	4	86-95	56-65	26-35	304	785	1021	1225	4177	9,40	11,50	0,97	0,06	1520X356X100
	4	316	1600	1545	60	60	4	86-95	56-65	26-35	349	902	1172	1406	4796	10,57	12,90	1,09	0,07	1720X356X100
	4	316	1800	1745	60	60	4	86-95	56-65	26-35	401	1035	1346	1615	5506	11,76	14,43	1,20	0,07	1920X356X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova 396	5	396	300	245	60	60	4	86-95	56-65	26-35	88	227	295	354	1208	3,49	4,47	0,43	0,02	420X436X100
	5	396	400	345	60	60	4	86-95	56-65	26-35	120	310	402	483	1647	4,23	5,33	0,50	0,03	520X436X100
	5	396	500	445	60	60	4	86-95	56-65	26-35	153	395	514	617	2104	4,97	6,19	0,57	0,03	620X436X100
	5	396	600	545	60	60	4	86-95	56-65	26-35	188	485	631	757	2580	5,71	7,05	0,64	0,04	720X436X100
	5	396	700	645	60	60	4	86-95	56-65	26-35	214	554	720	864	2945	6,46	7,93	0,71	0,04	820X436X100
	5	396	800	745	60	60	4	86-95	56-65	26-35	240	619	805	966	3293	7,20	8,80	0,78	0,05	920X436X100
	5	396	900	845	60	60	4	86-95	56-65	26-35	264	681	886	1063	3625	7,94	9,66	0,86	0,05	1020X436X100
	5	396	1000	945	60	60	4	86-95	56-65	26-35	287	741	963	1156	3940	8,68	10,51	0,93	0,05	1120X436X100
	5	396	1200	1145	60	60	4	86-95	56-65	26-35	329	850	1106	1327	4524	10,16	12,25	1,07	0,06	1320X436X100
	5	396	1400	1345	60	60	4	86-95	56-65	26-35	378	976	1269	1523	5194	11,64	13,99	1,21	0,07	1520X436X100
Lova 476	6	476	300	245	60	60	4	86-95	56-65	26-35	105	272	353	424	1445	4,16	5,23	0,51	0,03	420X516X100
	6	476	400	345	60	60	4	86-95	56-65	26-35	143	370	481	577	1969	5,05	6,25	0,60	0,03	520X516X100
	6	476	500	445	60	60	4	86-95	56-65	26-35	183	473	615	738	2516	5,93	7,27	0,68	0,04	620X516X100
	6	476	600	545	60	60	4	86-95	56-65	26-35	224	580	754	905	3085	6,81	8,29	0,77	0,04	720X516X100
	6	476	700	645	60	60	4	86-95	56-65	26-35	256	662	861	1033	3522	7,70	9,32	0,86	0,05	820X516X100
	6	476	800	745	60	60	4	86-95	56-65	26-35	286	740	962	1155	3938	8,58	10,34	0,94	0,05	920X516X100
	6	476	900	845	60	60	4	86-95	56-65	26-35	315	815	1059	1271	4335	9,46	11,35	1,03	0,06	1020X516X100
	6	476	1000	945	60	60	4	86-95	56-65	26-35	343	886	1152	1382	4712	10,35	12,38	1,11	0,06	1120X516X100
	6	476	1200	1145	60	60	4	86-95	56-65	26-35	394	1017	1322	1587	5410	12,12	14,43	1,28	0,07	1320X516X100
	6	476	1400	1345	60	60	4	86-95	56-65	26-35	452	1168	1518	1822	6212	13,88	16,48	1,46	0,08	1520X516X100
Lova 556	6	476	1600	1545	60	60	4	86-95	56-65	26-35	519	1341	1743	2092	7132	15,62	18,49	1,63	0,09	1720X516X100
	6	476	1800	1745	60	60	4	86-95	56-65	26-35	596	1539	2001	2401	8189	17,39	20,66	1,80	0,10	1920X516X100
	7	556	300	245	60	60	4	86-95	56-65	26-35	122	316	411	493	1682	4,85	6,00	0,60	0,03	420X596X100
	7	556	400	345	60	60	4	86-95	56-65	26-35	167	431	560	672	2292	5,87	7,17	0,70	0,04	520X596X100
	7	556	500	445	60	60	4	86-95	56-65	26-35	213	550	715	859	2928	6,90	8,36	0,80	0,04	620X596X100
	7	556	600	545	60	60	4	86-95	56-65	26-35	261	675	878	1053	3591	7,92	9,52	0,90	0,05	720X596X100
	7	556	700	645	60	60	4	86-95	56-65	26-35	298	770	1002	1202	4099	8,95	10,70	1,00	0,05	820X596X100
	7	556	800	745	60	60	4	86-95	56-65	26-35	333	862	1120	1344	4583	9,97	11,87	1,10	0,06	920X596X100
	7	556	900	845	60	60	4	86-95	56-65	26-35	367	948	1233	1479	5045	11,00	13,07	1,20	0,07	1020X596X100
	7	556	1000	945	60	60	4	86-95	56-65	26-35	399	1031	1340	1608	5484	12,03	14,25	1,30	0,07	1120X596X100
Lova 636	7	556	1200	1145	60	60	4	86-95	56-65	26-35	458	1184	1539	1846	6297	14,08	16,60	1,50	0,08	1320X596X100
	7	556	1400	1345	60	60	4	86-95	56-65	26-35	526	1359	1767	2120	7229	16,13	18,96	1,70	0,10	1520X596X100
	7	556	1600	1545	60	60	4	86-95	56-65	26-35	604	1560	2028	2434	8301	18,14	21,27	1,90	0,11	1720X596X100
	7	556	1800	1745	60	60	4	86-95	56-65	26-35	693	1792	2329	2795	9530	20,19	23,92	2,10	0,12	1920X596X100
	8	636	300	245	60	60	4	86-95	56-65	26-35	140	361	469	563	1918	5,53	6,93	0,68	0,03	420X676X100
	8	636	400	345	60	60	4	86-95	56-65	26-35	190	491	639	767	2614	6,70	8,27	0,80	0,04	520X676X100
	8	636	500	445	60	60	4	86-95	56-65	26-35	243	628	816	979	3340	7,86	9,59	0,91	0,05	620X676X100
	8	636	600	545	60	60	4	86-95	56-65	26-35	298	770	1001	1201	4096	9,03	10,93	1,03	0,05	720X676X100
	8	636	700	645	60	60	4	86-95	56-65	26-35	340	879	1143	1371	4676	10,20	12,26	1,14	0,06	820X676X100
	8	636	800	745	60	60	4	86-95	56-65	26-35	380	983	1278	1533	5228	11,37	13,60	1,25	0,07	920X676X100
Lova 716	8	636	900	845	60	60	4	86-95	56-65	26-35	419	1082	1406	1688	5755	12,54	14,94	1,37	0,07	1020X676X100
	8	636	1000	945	60	60	4	86-95	56-65	26-35	455	1176	1529	1835	6256	13,71	16,28	1,48	0,08	1120X676X100
	8	636	1200	1145	60	60	4	86-95	56-65	26-35	523	1350	1755	2106	7183	16,04	18,94	1,71	0,09	1320X676X100
	8	636	1400	1345	60	60	4	86-95	56-65	26-35	600	1550	2015	2418	8247	18,38	21,62	1,94	0,11	1520X676X100
	8	636	1600	1545	60	60	4	86-95	56-65	26-35	689	1780	2314	2777	9469	20,67	24,25	2,17	0,12	1720X676X100
	8	636	1800	1745	60	60	4	86-95	56-65	26-35	791	2044	2657	3188	10872	23,00	27,02	2,40	0,13	1920X676X100
	9	716	300	245	60	60	4	86-95	56-65	26-35	157	405	527	632	2155	6,21	7,70	0,77	0,04	420X756X100
	9	716	400	345	60	60	4	86-95	56-65	26-35	214	552	718	861	2937	7,52	9,19	0,90	0,04	520X756X100
	9	716	500	445	60	60	4	86-95	56-65	26-35	273	705	917	1100	3752	8,83	10,69	1,02	0,05	620X756X100
	9	716	600	545	60	60	4	86-95	56-65	26-35	335	865	1125	1349	4601	10,14	12,17	1,15	0,06	720X756X100
Lova 716	9	716	700	645	60	60	4	86-95	56-65	26-35	382	987	1284	1540	5252	11,45	13,67	1,28	0,07	820X756X100
	9	716	800	745	60	60	4	86-95	56-65	26-35	427	1104	1435	1722	5873	12,76	15,15	1,41	0,07	920X756X100
	9	716	900	845	60	60	4	86-95	56-65	26-35	470	1215	1580	1896	6465	14,07	16,64	1,54	0,08	1020X756X100
	9	716	1000	945	60	60	4	86-95	56-65	26-35	511	1321	1717	2061	7028	15,38	18,14	1,67	0,09	1120X756X100
	9	716	1200	1145	60	60	4	86-95	56-65	26-35	587	1517	1972	2366	8069	18,01	21,13	1,93	0,10	1320X756X100
	9	716	1400	1345	60	60	4	86-95	56-65	26-35	674	1742	2264	2717	9264	20,63	24,12	2,18	0,12	1520X756X100
	9	716	1600	1545	60	60	4	86-95	56-65	26-35	774	2000	2599	3119	10637	23,19	27,03	2,44	0,14	1720X756X100
	9	716	1800	1745	60	60	4	86-95	56-65	26-35	888	2296	2985	3581	12213	25,81	30,14	2,70	0,15	1920X756X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova 796	10	796	300	245	60	60	4	86-95	56-65	26-35	174	450	584	701	2391	6,89	8,46	0,85	0,04	420X836X100
	10	796	400	345	60	60	4	86-95	56-65	26-35	237	613	796	956	3259	8,35	10,12	0,99	0,05	520X836X100
	10	796	500	445	60	60	4	86-95	56-65	26-35	303	783	1018	1221	4164	9,80	11,76	1,14	0,06	620X836X100
	10	796	600	545	60	60	4	86-95	56-65	26-35	372	960	1248	1498	5107	11,25	13,41	1,28	0,07	720X836X100
	10	796	700	645	60	60	4	86-95	56-65	26-35	424	1096	1425	1709	5829	12,70	15,06	1,42	0,07	820X836X100
	10	796	800	745	60	60	4	86-95	56-65	26-35	474	1225	1593	1911	6518	14,16	16,70	1,57	0,08	920X836X100
	10	796	900	845	60	60	4	86-95	56-65	26-35	522	1349	1753	2104	7174	15,61	18,36	1,71	0,09	1020X836X100
	10	796	1000	945	60	60	4	86-95	56-65	26-35	567	1466	1906	2287	7799	17,06	20,00	1,85	0,10	1120X836X100
	10	796	1200	1145	60	60	4	86-95	56-65	26-35	651	1683	2188	2626	8955	19,97	23,30	2,14	0,12	1320X836X100
	10	796	1400	1345	60	60	4	86-95	56-65	26-35	748	1933	2513	3015	10282	22,87	26,60	2,42	0,13	1520X836X100
Lova 876	11	876	300	245	60	60	4	86-95	56-65	26-35	191	494	642	771	2628	7,58	9,25	0,94	0,04	420X916X100
	11	876	400	345	60	60	4	86-95	56-65	26-35	261	673	875	1050	3582	9,17	11,05	1,09	0,05	520X916X100
	11	876	500	445	60	60	4	86-95	56-65	26-35	333	860	1118	1342	4576	10,77	12,85	1,25	0,06	620X916X100
	11	876	600	545	60	60	4	86-95	56-65	26-35	408	1055	1372	1646	5612	12,36	14,65	1,41	0,07	720X916X100
	11	876	700	645	60	60	4	86-95	56-65	26-35	466	1204	1566	1879	6406	13,96	16,46	1,57	0,08	820X916X100
	11	876	800	745	60	60	4	86-95	56-65	26-35	521	1347	1751	2101	7163	15,55	18,26	1,72	0,09	920X916X100
	11	876	900	845	60	60	4	86-95	56-65	26-35	574	1482	1927	2312	7884	17,15	20,07	1,88	0,10	1020X916X100
	11	876	1000	945	60	60	4	86-95	56-65	26-35	624	1611	2095	2514	8571	18,74	21,87	2,04	0,11	1120X916X100
	11	876	1200	1145	60	60	4	86-95	56-65	26-35	716	1850	2405	2886	9841	21,93	25,49	2,35	0,13	1320X916X100
	11	876	1400	1345	60	60	4	86-95	56-65	26-35	822	2124	2761	3314	11299	25,12	29,09	2,67	0,14	1520X916X100
Lova 956	12	956	300	245	60	60	4	86-95	56-65	26-35	208	539	700	840	2865	8,25	9,99	1,02	0,05	420X996X100
	12	956	400	345	60	60	4	86-95	56-65	26-35	284	734	954	1145	3904	9,99	11,96	1,19	0,06	520X996X100
	12	956	500	445	60	60	4	86-95	56-65	26-35	363	938	1219	1463	4988	11,72	13,91	1,36	0,07	620X996X100
	12	956	600	545	60	60	4	86-95	56-65	26-35	445	1150	1495	1794	6118	13,46	15,88	1,54	0,08	720X996X100
	12	956	700	645	60	60	4	86-95	56-65	26-35	508	1313	1706	2048	6983	15,20	17,84	1,71	0,09	820X996X100
	12	956	800	745	60	60	4	86-95	56-65	26-35	568	1468	1908	2290	7808	16,94	19,80	1,88	0,10	920X996X100
	12	956	900	845	60	60	4	86-95	56-65	26-35	625	1616	2100	2520	8594	18,67	21,76	2,05	0,11	1020X996X100
	12	956	1000	945	60	60	4	86-95	56-65	26-35	680	1756	2283	2740	9343	20,41	23,72	2,22	0,12	1120X996X100
	12	956	1200	1145	60	60	4	86-95	56-65	26-35	780	2017	2622	3146	10727	23,89	27,65	2,57	0,14	1320X996X100
	12	956	1400	1345	60	60	4	86-95	56-65	26-35	896	2315	3010	3612	12317	27,36	31,58	2,91	0,16	1520X996X100
Lova 1036	13	1036	300	245	60	60	4	86-95	56-65	26-35	226	583	758	910	3101	8,93	10,77	1,11	0,05	420X1076X100
	13	1036	400	345	60	60	4	86-95	56-65	26-35	307	795	1033	1239	4227	10,81	12,89	1,29	0,06	520X1076X100
	13	1036	500	445	60	60	4	86-95	56-65	26-35	393	1015	1320	1584	5400	12,69	15,01	1,48	0,07	620X1076X100
	13	1036	600	545	60	60	4	86-95	56-65	26-35	482	1245	1619	1942	6623	14,57	17,12	1,66	0,08	720X1076X100
	13	1036	700	645	60	60	4	86-95	56-65	26-35	550	1421	1847	2217	7560	16,45	19,24	1,85	0,09	820X1076X100
	13	1036	800	745	60	60	4	86-95	56-65	26-35	615	1589	2066	2479	8453	18,33	21,35			

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova 1276	16	1276	300	245	60	60	4	86-95	56-65	26-35	277	716	931	1118	3811	10,98	13,07	1,36	0,06	420X1316X100
	16	1276	400	345	60	60	4	86-95	56-65	26-35	378	976	1269	1523	5194	13,29	15,67	1,59	0,07	520X1316X100
	16	1276	500	445	60	60	4	86-95	56-65	26-35	483	1247	1622	1946	6636	15,59	18,25	1,82	0,09	620X1316X100
	16	1276	600	545	60	60	4	86-95	56-65	26-35	592	1530	1989	2387	8139	17,90	20,85	2,05	0,10	720X1316X100
	16	1276	700	645	60	60	4	86-95	56-65	26-35	676	1746	2270	2724	9290	20,21	23,43	2,28	0,11	820X1316X100
	16	1276	800	745	60	60	4	86-95	56-65	26-35	756	1953	2539	3046	10388	22,51	26,02	2,50	0,13	920X1316X100
	16	1276	900	845	60	60	4	86-95	56-65	26-35	832	2149	2794	3353	11434	24,82	28,60	2,73	0,14	1020X1316X100
	16	1276	1000	945	60	60	4	86-95	56-65	26-35	904	2337	3038	3645	12430	27,13	31,20	2,96	0,15	1120X1316X100
Lova 1356	16	1276	1200	1145	60	60	4	86-95	56-65	26-35	1038	2683	3488	4185	14272	31,74	36,37	3,42	0,18	1320X1316X100
	16	1276	1400	1345	60	60	4	86-95	56-65	26-35	1192	3080	4005	4805	16387	36,35	41,55	3,88	0,21	1520X1316X100
	17	1356	300	245	60	60	4	86-95	56-65	26-35	294	761	989	1187	4048	11,66	13,84	1,45	0,06	420X1396X100
	17	1356	400	345	60	60	4	86-95	56-65	26-35	401	1037	1348	1618	5517	14,11	16,58	1,69	0,08	520X1396X100
	17	1356	500	445	60	60	4	86-95	56-65	26-35	513	1325	1722	2067	7048	16,56	19,33	1,93	0,09	620X1396X100
	17	1356	600	545	60	60	4	86-95	56-65	26-35	629	1625	2113	2535	8644	19,01	22,08	2,18	0,11	720X1396X100
	17	1356	700	645	60	60	4	86-95	56-65	26-35	718	1855	2411	2894	9867	21,46	24,82	2,42	0,12	820X1396X100
	17	1356	800	745	60	60	4	86-95	56-65	26-35	803	2074	2696	3236	11033	23,91	27,57	2,66	0,13	920X1396X100
Lova 1436	17	1356	900	845	60	60	4	86-95	56-65	26-35	883	2283	2968	3561	12144	26,35	30,31	2,90	0,15	1020X1396X100
	17	1356	1000	945	60	60	4	86-95	56-65	26-35	960	2482	3226	3872	13202	28,80	33,05	3,15	0,16	1120X1396X100
	17	1356	1200	1145	60	60	4	86-95	56-65	26-35	1103	2850	3704	4445	15158	33,70	38,54	3,63	0,19	1320X1396X100
	17	1356	1400	1345	60	60	4	86-95	56-65	26-35	1266	3272	4253	5104	17404	38,60	44,03	4,12	0,22	1520X1396X100
	18	1436	300	245	60	60	4	86-95	56-65	26-35	312	805	1047	1257	4285	12,33	14,60	1,53	0,07	420X1476X100
	18	1436	400	345	60	60	4	86-95	56-65	26-35	425	1098	1427	1712	5839	14,93	17,51	1,79	0,08	520X1476X100
	18	1436	500	445	60	60	4	86-95	56-65	26-35	543	1402	1823	2188	7460	17,52	20,41	2,05	0,10	620X1476X100
	18	1436	600	545	60	60	4	86-95	56-65	26-35	666	1720	2236	2683	9150	20,11	23,32	2,30	0,11	720X1476X100
Lova 1516	18	1436	700	645	60	60	4	86-95	56-65	26-35	760	1963	2552	3063	10444	22,70	26,21	2,56	0,13	820X1476X100
	18	1436	800	745	60	60	4	86-95	56-65	26-35	850	2195	2854	3425	11678	25,29	29,11	2,82	0,14	920X1476X100
	18	1436	900	845	60	60	4	86-95	56-65	26-35	935	2416	3141	3770	12854	27,88	32,01	3,08	0,16	1020X1476X100
	18	1436	1000	945	60	60	4	86-95	56-65	26-35	1017	2627	3415	4098	13974	30,47	34,91	3,33	0,17	1120X1476X100
	18	1436	1200	1145	60	60	4	86-95	56-65	26-35	1167	3016	3921	4705	16044	35,65	40,71	3,85	0,20	1320X1476X100
	18	1436	1400	1345	60	60	4	86-95	56-65	26-35	1340	3463	4502	5402	18422	40,84	46,53	4,36	0,23	1520X1476X100
	19	1516	300	245	60	60	4	86-95	56-65	26-35	329	850	1105	1326	4521	13,02	15,39	1,62	0,07	420X1556X100
	19	1516	400	345	60	60	4	86-95	56-65	26-35	448	1158	1506	1807	6162	15,75	18,44	1,89	0,09	520X1556X100
Lova 1596	19	1516	500	445	60	60	4	86-95	56-65	26-35	573	1480	1924	2309	7872	18,48	21,50	2,16	0,10	620X1556X100
	19	1516	600	545	60	60	4	86-95	56-65	26-35	702	1815	2360	2831	9655	21,22	24,56	2,43	0,12	720X1556X100
	19	1516	700	645	60	60	4	86-95	56-65	26-35	802	2072	2693	3232	11021	23,95	27,60	2,70	0,13	820X1556X100
	19	1516	800	745	60	60	4	86-95	56-65	26-35	897	2317	3012	3614	12323	26,68	30,66	2,97	0,15	920X1556X100
	19	1516	900	845	60	60	4	86-95	56-65	26-35	987	2550	3315	3978	13564	29,42	33,72	3,25	0,16	1020X1556X100
	19	1516	1000	945	60	60	4	86-95	56-65	26-35	1073	2772	3604	4324	14746	32,15	36,78	3,52	0,18	1120X1556X100
	20	1596	300	245	60	60	4	86-95	56-65	26-35	346	894	1163	1395	4758	13,70	16,14	1,70	0,07	420X1636X100
	20	1596	400	345	60	60	4	86-95	56-65	26-35	472	1219	1585	1902	6484	16,58	19,36	1,99	0,09	520X1636X100
Lova 1676	20	1596	500	445	60	60	4	86-95	56-65	26-35	603	1557	2024	2429	8284	19,45	22,56	2,27	0,11	620X1636X100
	20	1596	600	545	60	60	4	86-95	56-65	26-35	739	1910	2483	2980	10160	22,33	25,79	2,56	0,12	720X1636X100
	20	1596	700	645	60	60	4	86-95	56-65	26-35	844	2180	2834	3401	11598	25,20	29,00	2,84	0,14	820X1636X100
	20	1596	800	745	60	60	4	86-95	56-65	26-35	943	2438	3169	3803	12968	28,08	32,22	3,13	0,16	920X1636X100
	20	1596	900	845	60	60	4	86-95	56-65	26-35	1038	2683	3488	4186	14274	30,95	35,42	3,42	0,17	1020X1636X100
	20	1596	1000	945	60	60	4	86-95	56-65	26-35	1129	2917	3792	4551	15518	33,83	38,64	3,70	0,19	1120X1636X100
	21	1676	300	245	60	60	4	86-95	56-65	26-35	363	939	1221	1465	4995	14,38	16,92	1,79	0,08	420X1716X100
	21	1676	400	345	60	60	4	86-95	56-65	26-35	495	1280	1663	1996	6807	17,40	20,29	2,09	0,09	520X1716X100
Lova 1676	21	1676	500	445	60	60	4	86-95	56-65	26-35	633	1635	2125	2550	8696	20,42	23,66	2,39	0,11	620X1716X100
	21	1676	600	545	60	60	4	86-95	56-65	26-35	776	2005	2607	3128	10666	23,44	27,04	2,69	0,13	720X1716X100
	21	1676	700	645	60	60	4	86-95	56-65	26-35	886	2289	2975	3570	12175	26,45	30,40	2,99	0,15	820X1716X100
	21	1676	800	745	60	60	4	86-95	56-65	26-35	990	2559	3327	3992	13613	29,47	33,77	3,29	0,16	920X1716X100
	21	1676	900	845	60	60	4	86-95	56-65	26-35	1090	2817	3662	4394	14984	32,49	37,15	3,59	0,18	1020X1716X100
	21	1676	1000	945	60	60	4	86-95	56-65	26-35	1185	3062	3981	4777	16290	35,51	40,52	3,89	0,20	1120X1716X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova 1756	22	1756	300	245	60	60	4	86-95	56-65	26-35	381	983	1278	1534	5231	15,07	17,68	1,87	0,08	420X1796X100
	22	1756	400	345	60	60	4	86-95	56-65	26-35	519	1340	1742	2091	7129	18,23	21,22	2,18	0,10	520X1796X100
	22	1756	500	445	60	60	4	86-95	56-65	26-35	663	1712	2226	2671	9108	21,39	24,74	2,50	0,12	620X1796X100
	22	1756	600	545	60	60	4	86-95	56-65	26-35	813	2100	2730	3276	11171	24,55	28,27	2,81	0,13	720X1796X100
	22	1756	700	645	60	60	4	86-95	56-65	26-35	928	2397	3116	3739	12752	27,71	31,79	3,13	0,15	820X1796X100
	22	1756	800	745	60	60	4	86-95	56-65	26-35	1037	2680	3484	4181	14258	30,87	35,33	3,44	0,17	920X1796X100
	22	1756	900	845	60	60	4	86-95	56-65	26-35	1142	2950	3835	4602	15694	34,03	38,85	3,76	0,19	1020X1796X100
Lova 1836	22	1756	1000	945	60	60	4	86-95	56-65	26-35	1241	3207	4169	5003	17061	37,19	42,38	4,07	0,21	1120X1796X100
	23	1836	300	245	60	60	4	86-95	56-65	26-35	398	1028	1336	1604	5468	15,75	18,46	1,96	0,08	420X1876X100
	23	1836	400	345	60	60	4	86-95	56-65	26-35	542	1401	1821	2185	7452	19,05	22,14	2,28	0,10	520X1876X100
	23	1836	500	445	60	60	4	86-95	56-65	26-35	693	1790	2327	2792	9520	22,35	25,82	2,61	0,12	620X1876X100
	23	1836	600	545	60	60	4	86-95	56-65	26-35	849	2195	2854	3424	11677	25,66	29,52	2,94	0,14	720X1876X100
	23	1836	700	645	60	60	4	86-95	56-65	26-35	970	2506	3257	3909	13328	28,96	33,19	3,27	0,16	820X1876X100
	23	1836	800	745	60	60	4	86-95	56-65	26-35	1084	2802	3642	4370	14903	32,26	36,88	3,60	0,18	920X1876X100
Lova 1916	23	1836	900	845	60	60	4	86-95	56-65	26-35	1193	3084	4009	4811	16404	35,56	40,56	3,93	0,20	1020X1876X100
	23	1836	1000	945	60	60	4	86-95	56-65	26-35	1297	3352	4358	5230	17833	38,87	44,25	4,26	0,22	1120X1876X100
	24	1916	300	245	60	60	4	86-95	56-65	26-35	415	1072	1394	1673	5705	16,42	19,21	2,04	0,09	420X1956X100
	24	1916	400	345	60	60	4	86-95	56-65	26-35	566	1461	1900	2280	7774	19,86	23,05	2,38	0,11	520X1956X100
	24	1916	500	445	60	60	4	86-95	56-65	26-35	723	1867	2427	2913	9932	23,31	26,89	2,73	0,13	620X1956X100
	24	1916	600	545	60	60	4	86-95	56-65	26-35	886	2290	2977	3572	12182	26,75	30,72	3,07	0,15	720X1956X100
	24	1916	700	645	60	60	4	86-95	56-65	26-35	1012	2614	3398	4078	13905	30,20	34,57	3,41	0,17	820X1956X100
Lova 1996	24	1916	800	745	60	60	4	86-95	56-65	26-35	1131	2923	3800	4560	15548	33,64	38,41	3,76	0,18	920X1956X100
	24	1916	900	845	60	60	4	86-95	56-65	26-35	1245	3217	4182	5019	17114	37,09	42,26	4,10	0,20	1020X1956X100
	24	1916	1000	945	60	60	4	86-95	56-65	26-35	1354	3497	4547	5456	18605	40,53	46,09	4,44	0,22	1120X1956X100
	25	1996	300	245	60	60	4	86-95	56-65	26-35	432	1117	1452	1742	5941	17,10	19,98	2,13	0,09	420X2036X100
	25	1996	400	345	60	60	4	86-95	56-65	26-35	589	1522	1979	2374	8097	20,69	23,98	2,48	0,11	520X2036X100
	25	1996	500	445	60	60	4	86-95	56-65	26-35	753	1945	2528	3034	10344	24,28	27,98	2,84	0,13	620X2036X100
	25	1996	600	545	60	60	4	86-95	56-65	26-35	923	2385	3101	3721	12687	27,86	31,97	3,20	0,15	720X2036X100
Lova 1996	25	1996	700	645	60	60	4	86-95	56-65	26-35	1054	2722	3539	4247	14482	31,45	35,97	3,56	0,17	820X2036X100
	25	1996	800	745	60	60	4	86-95	56-65	26-35	1178	3044	3957	4749	16193	35,04	39,97	3,91	0,19	920X2036X100
	25	1996	900	845	60	60	4	86-95	56-65	26-35	1297	3351	4356	5227	17824	38,63	43,97	4,27	0,21	1020X2036X100
	25	1996	1000	945	60	60	4	86-95	56-65	26-35	1410	3643	4735	5682	19377	42,21	47,80	4,63	0,23	1120X2036X100